



SCIENCE @ DIRECT

Register or Login:

user name

Password:

Go

Athens/Institution Log

[Home](#) [Search](#) [Journals](#) [Books](#) [Abstract Databases](#) [My Profile](#) [Alerts](#)
[? Help](#)Quick Search: within [This Volume/Issue](#) [Go](#) [? Search Tips](#)[◀ results list](#)[◀ previous](#) 13 of 14[next ▶](#)**Synthetic Metals**

Volume 20, Issue 1, April-May 1987, Pages 119-124

doi:10.1016/0379-6779(87)90551-0

[? Cite or Link Using DOI](#)

Copyright © 1987 Published by Elsevier Science B.V.

Study on polypyrrole film by electrochemical polymerization in aqueous solution

Shaojun Dong[✉] and Jie DingChangchun Institute of Applied Chemistry, Academia Sinica,
Changchun, Jilin 130021, China

Received 23 September 1986; revised 8 December 1986; accepted 12 December 1986. ; Available online 12 May 2003.

Abstract

Electroactive polypyrrole (PPy) film was prepared by electrochemical polymerization in aqueous solution. E.s.r. analysis of the film showed that the peak-to-peak linewidth is related with heat treatment, standing time and environmental atmosphere of the film. Oxygen and water molecules participate in electrochemical polymerization of pyrrole (Py) from aqueous solution and introduce $>C=O$ and $---OH$ groups into the structure of PPy film, as has been verified by XPS and FT-i.r. spectroscopy. The conductivity of the film measured by the four-probe method is less than that of the films prepared in organic solvent. The mechanism of electrochemical polymerization to form PPy in aqueous solution has been proposed.



Corresponding author. Author to whom correspondence should be addressed.

This Document[▶ Abstract](#)**External Links**[Abstract + References in Scopus](#)**Actions**

- [Cited By](#)
- [Save as Citation Alert](#)
- [E-mail Article](#)
- [Export Citation](#)

Synthetic Metals

Volume 20, Issue 1, April-May 1987, Pages 119-124

This Document[▶ Abstract](#)**External Links**[Abstract + References in Scopus](#)